



Declaration of UL Conformity

Product Description	All Rebling Feed-through Terminals, including the TFT, LFT, SFT, SIP, TopSeal, MFT, BFT and XFT products, which are identified by the kit or individual component part numbers found on the datasheets for those product families.
Declaration of UL Conformity	Rebling certifies that the Flammability, Rated Current and Rated Voltage shown on our Product's most current Datasheet conforms to the UL Standards for those characteristics as itemized below.
Date of Declaration	April 29th, 2026
UL Standards Used	UL 1977 Component Connectors for Use in Data, Signal, Control and Power Applications rev October 18, 2002. For determining a product's Rated Current and Rated Voltage. UL 94 Standard for Tests for Flammability of Plastic Materials for Parts in Devices and Appliances rev March 28, 2013. For determining a product's Flammability Rating.
UL Classification	Type 4, Fixed connector with bolts for attachment of ring lugs.
Manufacturer & Address	Rebling 150 Franklin Drive Warrington, PA 18976 USA
UL Recognition & How to achieve UL Approval	The electrical connectors identified above have not been submitted for UL Recognition. Since Rebling has made continual improvements to the designs of these products in response to the rapidly changing marketplace demands of the cutting-edge industries in which these products are used, maintaining UL Recognition would be a never-ending task since each improvement would require re-submission and re-certification. Original Equipment Manufacturers (OEMs) which are producing UL Approved Products that incorporate Rebling products have been successful in obtaining UL Approval for their finished products by showing the UL Auditors the audit trail from: • Rebling's Datasheet which shows each material's UL Yellow Card # • UL's Yellow Card # for the plastic used in Rebling's products • Rebling's Material Certification attached to each shipment of products This audit trail verifies that the UL-approved plastic material listed on Rebling's datasheet was used in the manufacture of the products contained in Rebling's shipment. Since Rebling's terminals consist of one or more conductive metal parts surrounded by insulating plastic and since UL Approval of a finished product does not require approval of the metal components in the finished product, UL Auditors must simply verify that the plastic used in any electrical connector used as a component in an OEM's final product meets or exceeds the UL Flammability level claimed for the final product. To obtain the UL Yellow Card for the plastic material used in Rebling products, go to https://materials.ulprospector.com/ and on the left-hand side of the page, under the word "UL", click on "Yellow Card". Next, enter the UL Yellow Card Number specified on Rebling's Datasheet then click the Search button. Once the results appear, scroll down to the bottom of the page and click on the name of the plastic material. Once the material information is displayed, click on "PDF" in the upper right hand section to download a copy of the UL Yellow Card.

